




STRIP PATTY

SSLT 1x36 W FTL
 SSLT 1x36 W EB FTL
 SSLT 1x28 W T5
 Commercial Strip for wall and pendant mounting

C-01



CHANNEL BOX TYPE

SB 1x18 W EB FTL
 SB 1x36 W EB FTL
 SB 1x28 W T5
 SB 1x14 W T5
 Commercial channel for wall and pendant mounting.

C-02



CHALK BOARD

SICB 1x36 W FTL
 SICB 1x36 W EB FTL
 SICB 1x28 W T5
 Chalk Board channel with angular reflector,
 wall mounting application.

C-06



ELEGANT WITH ACRYLIC DIFFUSER

SDL 1x36 W EB FTL
 SDL 1x36 W EB PLL

C-10



MIRROR OPTIC SURFACE

SMOS 1x36 W FTL
 SMOS 1x36 W EB FTL
 SMOS 2x36 W FTL
 SMOS 2x36 W EB FTL
 SMOS 1x28 W T5
 SMOS 2x28 W T5
 Surface ceiling mounting or pendant mounting mirror
 optic fixture. Powder coated CRCA sheet steel housing.

C-12



MIRROR OPTIC RECESS VX

SMOVX 1x36 W FTL
 SMOVX 1x36 W EB FTL
 SMOVX 2x36 W FTL
 SMOVX 2x36 W EB FTL
 Recess / pendant mounting powder coated CRCA sheet
 steel housing with Electronic Ballasts / VPI copper ballasts

C-14

MIRROR OPTIC RECESS VX - T5**C-15**

SMOVX 1x24 W T5

SMOVX 2x24 W T5

SMOVX 1x28 W T5

SMOVX 2x28 W T5

Recess / pendant mounting powder coated CRCA sheet steel housing with Electronic Ballasts / VPI copper ballasts

**MIRROR OPTIC RECESS - DP****C-20**

SMODP 4x18 W FTL

SMODP 4x18 W EB FTL

SMODP 4x14 W T5

SMODP 4x24 W T5

suitable for armstrong ceiling.

**Paralite - Dipsy with P5 Louvers****C-21**

SMD 2x11 W (SQ) PLL

SMD 2x18 W (SQ) PLL

SMD 2x36 W (SQ) PLL

SMD 3x36 W (SQ) PLL

SMD 2x36 W EB (SQ) PLL

SMD 3x36 W EB (SQ) PLL

Powder coated CRCA sheet steel housing, P5 Louvers suitable for armstrong ceiling.

**Paralite - Crescent with P5 Louvers****C-23**

SMDC 2x11 W PLL

SMDC 2x18 W PLL

SMDC 2x36 W PLL

SMDC 2x36 W EB PLL

SMDC 3x36 W PLL

SMDC 3x36 W EB PLL

Powder Coated CRCA Sheet Steel housing, P5 Louvers.

**Soft Light****C-24**

SMSL 2x36 W PLL

SMSL 2x36 W EB PLL

SMSL 2x14 W T5

SMSL 2x24 W T5

**Soft Light - Para Comfort****C-25**

SMPC 2x36 W PLL

SMPC 2x36 W EB PLL

SMPC 2x14 W T5

SMPC 2x24 W T5





B Fly

SMBF 2x36 W PLL
SMBF 2x36 W EB PLL

C-27



Mirror Optic - Surface PLL

SMOS 2x11 W PLL
SMOS 2x11 EB W PLL
SMOS 2x18 W PLL
SMOS 2x18 W EB PLL

C-29



Mirolta PLL

SMN 1x11 W PLL

C-31



Polymer Bulkhead

SBHPC 1x15 W PLL R/F
SBHPC 1x9 W PLL


C-33



Polymer Bulkhead

SBHPC 1x18 W PLL
SBHPC 1x20 W PLL R/F

C-34



Vista

SDV 1x36 W T8 EB
Decorative wall mounting chanel,
powder coated, CRCA sheet steel with
Electronic Ballast.

C-35

MIRROR OPTIC X-TEND

SMOXT 4x14 W T5

SMOXT 4x24 W T5

C-39

**STRIP - COVE LIGHT**

SSLT 1x14 W T5 Cove

SSLT 1x28 W T5 Cove

Linear cove lighting application.

CRCA Sheet steel housing, powder coated.

C-40

**MIRROR OPTIC SURFACE**

SMOS 1x36 W PLL

SMOS 1x36 W EB PLL

Surface ceiling mounting or pendant mounting mirror optic fixture.

Powder coated CRCA sheet steel housing.

C-41

**MIRROR OPTIC RECESS VX**


SMOVX 1x36 W PLL

SMOVX 1x36 W EB PLL

SMOVX 2x36 W PLL

SMOVX 2x36 W EB PLL

C-42

**MIRROR OPTIC RECESS LX**

SMOLX 1x36 W PLL

SMOLX 2x36 W PLL

C-43


**Decorative Wall Mounting Crystal**

SMOC 1x11 W PL

SMOC 1x18 W PLC

SMOC 1x36 W PLL

C-44



**LED - Serene**


SZC45 40 W

C-45

**LED - Cove / Channel**

SZC46 5 W

C-46

**LED - Cove / Channel**

SZC46 9 W

C-47

**LED - Cove / Channel**

SZC46 18 W

C-48

**Step Light**

STL 1x10 W PLL

STL 1x18 W PLL

C-49

Horizontal lamp mounting

SD01 1x13 W EB PLC
 SD01 1x18 W EB PLC
 SD01 2x13 W EB PLC
 SD01 2x18 W EB PLC

D-01

**METAL HALIDE**


SD03 MH 70 W DE
 SD03 MH 150 W DE
 Non - Integral lamp compartment
 (Please use appropriate gear box
 along with this fitting)

D-03

**Horizontal Square Down Light**

SD04 2 x 13 w EB PLC
 SD04 2 x 18 w EB PLC

D-04

**ROUND MATT**

SD05 2x13 W EB PLC
 SD05 2x18 W EB PLC

D-05

**CEILING CIRCULAR**

SD07 1x13 W EB PLC
 SD07 2x13 W EB PLC
 SD07 1x18 W EB PLC
 SD07 2x18 W EB PLC
 SD07 2x26 w EB PLC
 powder coated aluminium housing
 and opaque acrylic diffuser.

D-07

**Horizontal Surface Down Light
with glass**

SD09 2x18 W EB PLC
 Powder coated sheet steel housing,
 centre frosted glass, aluminium reflector.

D-09





LED Ceiling Light - Round

SD D10 15 W

D-10



LED Ceiling Light - Square

SD D13 15 W

D-13



LED Down Light

SZ D16 4W 100mm Dia
SZ D16 15 W 170mm Dia
SZ D16 22 W 210mm Dia
cast aluminium housing,
frosted diffuser,

D-16



LED Down Light - Ripple Series

SZ D17 5 W 125mm dia

D-17



LED Down Light - Ripple Series

SZ D18 10 W 160mm dia

D-18



LED Down Light - Ripple Series

SZ D19 15 W 190mm dia

D-19

LED Down Light - Ripple Series

SZ D20 20 W 225mm dia

D-20

**LED Down Light - Ripple Series**

SZ D21 15W

SZ D21 22W 180mm dia

D-21

**LED Down Light DD**

SZ D22 10 W

SZ D22 15 W

D-22

**LED Down Light - Square**

SZ D23 15 W 125mm x 125mm

SZ D23 22W 160mm x 160 mm

D-23

**LED Panel Light - Round**

SZ D24 12 W 175mm dia

SZ D24 18 W 240mm dia

D-24

**LED Panel Light - Square**


SZ D25 12 W 162mm x 162mm

SZ D25 15 W 185mm x 185mm

SZ D25 22 W 220mm x 220mm

D-25





LED Panel Light - Surface Square

SZ D26 12 W 162mm x 162mm
SZ D26 15 W 185mm x 185mm
SZ D26 22 W 220mm x 220mm

D-26



LED Spot Lights

SZ D27 15W

D-27



D-28

Post Top Mushroom

SPGM 1x11 W EB PLL

SPGM 1x13 W EB PLC

SPGM 1x18 W EB PLC

Clear Acrylic top cover, cast aluminium pole cap.

G-01

**Post Top Globe**

SPGG 1x11 W EB PLL

SPGG 1x13 W EB PLC

SPGG 1x18 W EB PLC

Aesthetic round Clear Acrylic top cover,
cast aluminium pole cap.

G-02

**Light House**

SPLH 1x11 W EB PLL

SPLH 1x13 W EB PLL

SPLH 1x18 W EB PLL

Combination of spun aluminium canopy and
clear acrylic top cover, cast aluminium pole cap.

G-03

**Post Top Lantern - Standard**

SPLS 100 GLS

SPLS 125 W MV

SPLS 70 W SV

Spun aluminium pole cap, opal acrylic diffuser,
cast aluminium pole cap.

G-04

**Post Top Lantern - Diamond**

SPLD 85 W CFL R/f

SPLD 125w MV

SPLD 70W SV

G-05A

**Post Top Lantern - Diamond**

SPLG 85W CFL R/f

SPLG 125W MV

SPLG 70W SV

G-05B





Lotus - Integral

SPLC 2x18 W PLL
SPLC 85W CFL R/f
SPLC 125 W MV
SPLC 70 W SV/MH

Integral gate light complete with all accessories.

G-06



Lotus - Non - Integral

SPLC 150 W SV/MH
SPLC 250 W SV/MH
SPLC 400 W SV/MH

Non integral gate light. Appropriate control gear boxes to be used seperately.

G-07



Bollards - PLL

Die Cast Housing
SBC C 1x11 W EB
SBC C 1x13 W EB
SBC C 1x18 W EB

Integral bollard, cast aluminium housing, aluminium louvers, clear acrylic diffuser.

G-08



Bollards - Integral 3 Ft.

Die Cast Housing
SBC30 1x11 W EB
SBC30 1x13 W EB
SBC30 1x18 W EB

Integral bollard, cast aluminium housing, aluminium louvers, clear acrylic diffuser

G-09

**PLL - Single Aluminium
Deep Drawn**

SSL 1x11 W PLL
SSL 1x13 W PLC
SSL 1x18 W PLC

S-01A



**PLL - Single Aluminium
Deep Drawn**

SSL 1x36 W PLL
SSL 1x36 W EB PLL
SSL 1x14 W T5
SSL 1 x 24 W T5
SSL 2 x 14 W T5
SSL 2 x 24 W T5

S-01B



PLL Twin

SSL 2x11 W PLL
SSL 2x 13 W PLC
SSL 2 x 18 w PLC

S-02A



PLL Twin

SSL 2 x 36 W PLL
SSL 2 x 36 W EB PLL
Aluminium deep drawn with reflector
and clear acrylic diffuser.

S-02B



Street Light - Star Ginie

SSLM 36W CFL R/f CRCA Housing
SSLM 85W CFL R/f CRCA Housing
SSLA 36W CFL R/f Aluminum Housing
SSLA 45W CFL R/f Aluminum Housing
SSLA 85W CFL R/f

S-04



Royale - T5

Aluminium Deep Drawn
SSLE 2 x 14 w T5
SSLE 2 x 24 w T5
SSLE 2 x 14 w T5 C
SSLE 2 x 24 w T5 C

S-05





Rust O Free - T5 Aluminium deep drawn housing

SSLR 4 x 14 W T5
SSLR 4 x 24 W T5
SSLR 5 x 24 W T5
SSLR 2 x 24 W T5
SLSR 3x36 W EB PLL
Available with DPSD Operation

S-06A



Rust O Free - CS T5 Aluminium deep drawn housing

SSLR 4 x 14 W T5 CS
SSLR 4 x 24 W T5 CS
SSLR 5 x 24 W T5 CS
SSLR 2 x 24 W T5 CS
SLSR 3x36 W EB PLL CS

S-06B



Fluorescent T8 / T12 conventional street light Aluminium Deep Drawn

SSL 1x36 W FTL
SSL 1x36 W EB FTL
SSL 1x28 W T5
SSL 2x28 W T5

S-07



Aluminium deep drawn HID street light

SIMV DD 125 W
SISV DD 70 W
SISV DD 150 W
SIMH DD 70 W
SIMH DD 150 W

S-08A



Aluminium deep drawn HID street light

SIMV DD 250 W
SISV DD 250 W
SIMH DD 250 W

S-08B



Pot Optic - Micro street light Aluminium Deep Drawn with Acrylic Diffuser

SIMV DD PT 125 W
SISV DD PT 70 W
SISV DD PT 150 W
SIMH DD PT 150 W

S-09

**Pot Optic - Micro street light
Aluminium Deep Drawn with
Toughened Glass**

SIMH DD PTG 70 W
SISV DD PTG 70 W
SISV DD PTG 150 W
SIMH DD PTG 150 W

S-10



**Pot Optic - Micro street light
Aluminium Deep Drawn with
Acrylic Diffuser**

SISV DD PT 250 W
SIMH DD PT 250 W

S-11



**Pot Optic - Micro street light
Aluminium Deep Drawn with
Toughened Glass**

SISV DD PTG 250 W
SIMH DD PTG 250 W

S-12



**Pot Optic - Street Light
Cast Aluminum housing
with Acrylic Diffuser**

SISV PT FC 70 W
SISV PT FC 150 W


S-13



**Pot Optic - Street Light
Cast Aluminum housing with
Toughened Glass (IP65)**

SISV PT FCG 70 W
SISV PT FCG 150 W
SIMH PT FCG 70 W
SIMH PT FCG 150 W

S-14



**FAB Pot Optic - Street Light
Cast Aluminum housing with
Toughened Glass (IP66)**

SISV PT FC 250 W
SIMH PT FC 250 W
SISV PT FC 400 W POR
SIMH PT FC 400 W

S-15





**Atria - Top Opening
Cast Aluminium housing
Lamp Compartment (IP66)**

SIFSV 70 W
SIFMH 70 W

S-16A



**Atria - Top Opening
Cast Aluminium housing
Lamp Compartment (IP66)**

SIFSV 150 W
SIFSV 250 W
SIFMH 150 W
SIFMH 250 W

S-16B



LED Street Light - Prism

SZSL 30 W
SZSL 40 W
SZSL 45 W
Cast aluminium housing. IP 65

S-18



LED Street Light - Status

SZSL 60 W
SZSL 72 W
SZSL 90 W
SZSL 100 W
SZSL 120 W
Cast aluminium housing. IP 65

S-19



LED Street Light

SZESL 10 W
SZESL 15 W
SZESL 20 W
Cast aluminium housing. IP 65

S-21



LED Street Light

SZESL 30 W
SZESL 40 W
SZESL 60 W
SZESL 80 W
Cast aluminium housing. IP 65

S-22



LED Street Light - Prism


SZSL 9 W
SZSL 12 W
SZSL 18 W
Cast aluminium housing. IP 65

S-23

Corrosion Resistant

SIDT 1x36 W FTL
SIDT 1x28 W T5
Engineering grade polymer housing. IP 65

IN-01A



Corrosion Resistant

SIDT 2x36 W FTL
SIDT 2x36 W EB FTL
SIDT 2x28 W T5
Engineering grade polymer housing. IP 65


IN-01B



Industrial Channel Box

SBI 1x36 W FTL
SBI 2x36 W FTL
SBI 1x36 W EB FTL
SBI 2x36 W EB FTL
powder coated CRCA sheet steel housing


IN-02



Industrial Channel Box T5

SB 1x28 W T5 <10% THD
SB 2x28 W T5 <10% THD
powder coated CRCA sheet steel housing

IN-02A



Industrial fitting with powder coated CRCA sheet Steel Reflector

SIS 1x36 W FTL
SIS 2x36 W FTL
SIS 1x36 W EB FTL
SIS 2x36 W EB FTL
SIS 1x28 W T5
SIS 2x28 W T5

IN-03



Lowbay / Highbay.

SHBG 45 W CFL R/F
SHBG 85 W CFL R/F
spun aluminium anodised reflector. Lowbay
Mid / high bay

IN-04A





Midbay / Highbay - Integral

SHB MH 150 W
SHB MH 250 W
SHB MH 400 W
SHB SV 150 W / SHB SV 250 W / SHB SV 400 W
Integral, Spun aluminium anodised reflector,
cast aluminium control gear box

IN-04B



Midbay / Highbay - Integral with Polymer Diffuser

SHBM 70 W MH / SV
SHBM 150 W MH / SV
SHBM 250 W MH / SV
SHBM 400 W MH / SV

IN-05



Belmonte - Highbay - Integral

SZ L17 30 W
SZ L17 50 W
SZ L17 70 W
SZ L17 100 W

IN-07



Industrial Highbay - T5

SHBN 4x28 W T5

IN-08



Highbay - T5

SHB 4x14 W T5
SHB 4x24 W T5
SHB 4x28 W T5
SHB 4x54 W T5

IN-09



Clean Room Fixture

SCR 2x24 W T5
SCR 2x36 W PLL
SCR 3x36 W PLL
SCR 2x36 W EB PLL
SCR 3x36 W EB PLL

IN-10



Industrial - Highbay Recess

SHBN 4x14 W T5
SHBN 4x24 W T5
SHBN 3x36 W PLL EB

IN-11

Halogen Flood Cast aluminium housing F-01

SFL 500 W DE
 SFL 1000 W DE
Non- Integral
 SFL MH 70 W DE
 SFL MH 150 W DE

**Integral Flood Light cast aluminium housing**

Symetrical Tempo Type
 SIFL MH 70 W DE
 SIFL MH 150 W DE

F-02A

**Integral Flood Light Cast aluminium housing Symetrical Back Pack**

SIFL MH 70 W DE
 SIFL MH 150 W DE

F-02B

**Integral Flood Light Cast aluminium housing Symetrical Tempo Type**

SIFL SV 250 W
 SIFL SV 400 W
 SIFL MH 250 W
 SIFL MH 400 W

F-03

**Heavy Duty Flood - Non Integral Cast aluminium housing**

SSFL 1x250 W SV
 SSFL 1x400 W SV
 SSFL 1x250 W MH
 SSFL 1x400 W MH

F-04

**Heavy Duty Flood - Non Integral Cast aluminium housing**

STFLT 2x250 W SV
 STFLT 2x400 W SV
 STFLT 2x250 W MH
 STFLT 2x400 W MH

F-05





LED Flood Light - Imperial

SZSI 12 W
SZSI 24 W
Stainless Steel housing

F-08



LED Flood Light - Wall Washer Cast Aluminium Housing

SZ F09 10W
SZ F09 20W
SZ F09 30W
SZ F09 40W
SZ F09 50W

F-09



LED Flood Light Cast aluminium housing

SZ F10 30W
SZ F10 50W

F-10



LED Flood Light Cast Aluminium Housing

SZ F11 100 W
SZ F11 140 W
SZ F11 150 W

F-11



LED Flood Light Cast Aluminium Housing

SZ F12 24W
SZ F12 32W
SZ F12 36W
SZ F12 48W

F-12



Well Glass

SWG 125 W MV
SWG 250 W MV
SWG 70 W SV
SWG 150 W SV

F-13



Semi High Mast

SSHM 3x250 W SV
SSHM 3x400 W SV
SSHM 3x250 W MH
SSHM 3x400 W MH

F-14

Neon Aviation light Cast Aluminum Housing

SAIN
Neon Spiral Lamp 75VA

A-01



Twin Aviation light Cast Aluminum Housing

SAIL GLS 100 W Twin
SAIL LED Twin

A-02



LED Aviation Cast Aluminum Housing

SAIL GLS 100 W Single
SAIL LED Single

A-03



Weather Proof Control Gear Box CRCA DD

SWP 150 W SV
SWP 250 W SV
SWP 400 W SV
SWP 250 W MH
SWP 400 W MH
(Cast Alu Housing Available)

AS-01



Ballast VPIT - PLL

SCB 9/11 W
SCB 13 W
SCB 18 W
SCB 26 W

AS-03



Ballast VPIT - FTL

SCB 18 W
SCB 36 W

AS-04





Electronic Ballast PLL / FTL

SEMB 1x 9/11 W PLL
SEMB 1x13 W PLC
SEMB 1x18 W PLC

AS-05A



Electronic Ballast PLL / FTL Viva

SEBV 1x18 W FTL
SEBV 1x36 W FTL/PLL

AS-05B



Electronic Ballast PLL / FTL Industrial (THD < 33%)

SEB 1x18 W FTL
SEB 1x36 W FTL/PLL
SEB 1x14 W T5
SEB 1x24 W T5
SEB 1x28 W T5

AS-06



Electronic Ballast PLL / FTL Industrial (THD < 33%)

SEB 2x36 W FTL
SEB 2x14 W T5
SEB 2x24 W T5
SEB 2x28 W T5

AS-06B



Electronic Ballast PLL / FTL Industrial (THD < 33%)

SEB T10 1x36 W FTL
SEB T10 1x14 W T5
SEB T10 1x24 W T5
SEB T10 1x28 W T5

AS-06C



HID Ballast Open Construction

SMVOB 80 W
SMVOB 125 W
SSVOB 70 W

AS-07A

HID Ballast Open Construction

SSVOB 150 W
 SSVOB 250 W
 SSVOB 400 W

AS-07B

**HID Ballast Polyester Filled**

SMVB 125 W
 SSVB/MH 70 W
 SSVB/MH 150 W

AS-08A

**HID Ballast Polyester Filled**

SMVB 250 W
 SMVB 400 W
 SSVB/MH 250 W
 SSVB/MH 400 W

AS-08B

**Starters**

SS 18/20 W FTL
 SS 36/40 W FTL
 SS 18/20 W FTL 110V
 SS 18/36 W PLL

AS-09A

**Electronic Igniters**

SI 70/400 W SV
 SI 70/400 W MH
 SIL 70/400 W MH (Long Throw)
 SSI 70/400 W MH (Superimposed)

AS-09B

**Capacitors**

10mfd
 20mfd
 33mfd
 42mfd

AS-10





LED Driver
SEMD 3 W to 22 W

AS-12



LED Driver
SEMID 9 W to 120 W

AS-13



HID Lamps - Tubular
HPSV 70 W T HPMH 70 W T
HPSV 150 W T HPMH 150 W T
HPSV 250 W T HPMH 250 W T
HPSV 400 W T HPMH 400 W T

LA-01



HID Lamps - Elliptical
HPMV 125 W E
HPMV 250 W E
HPMV 400 W E
HPSV 70 W E HPMH 70 W E
HPSV 150 W E HPMH 150 W E
HPSV 250 W E HPMH 250 W E

LA-02



Lamp - FTL
FTL 24 W T5

LA-02



Lamp - PLL
PLL 36 W (4 Pin)

LA-02



NYLEX GROUP
ESTD 1966

NyLex
TRADERS


MORGAIN Inc.


INTERNATIONAL

OUR MANUFACTURING RANGE

kam

Panel Board Accessories, Cam Locks, Non Metallic Locks, Door Knobs, Hinges, Handles, Insulated Handles, Inspection Window, Mounting Rails, Filters, Buzzer, Switches, Cam Switches, Pilot Lamps, Push Buttons, Control Units, Hour Meter, Tin Copper Cables Terminals, Aluminum, Copper Bi-Metallic Cable Lugs, Analogue Meter, Ammeter/Voltmeter, Frequency Meter, Maximum Demand meter etc. Residual Current Device, Miniature Circuit Breakers, Isolating Switches, Relay and Relay Sockets, Electrical Wiring Accessories, Industrial Plugs and Sockets, Modular Fuse Carriers and Cartridges Fuses, Knife Fuse and Fuse Base, Fuse Puller / Carrier, Connection Blocks, Brass Terminals and Insulated Bus Bar, Line Tapes, Bimetal Branching Terminal, B. I. Connectors, Test Terminal Blocks, Terminal Blocks, Terminals and Connectors, C. T. Current / Voltage Transformer, Control / Current Transformer, PG Cable Glands, Bus Bar Support, Comb Bars, DDLO Fuse Link, Operating Rod, Earthing Accessories.

NyFlex

Galvanized Steel Flexible PVC Coated Conduit, Liquid Tight Flexible PVC Coated Galvanized Conduit, Hot Dipped Galvanized steel Flexible Conduit, HDPE/PVC Flexible Conduit Galvanized Conduit Accessories.

kamlite

Luminaries and Accessories.



OUR FORTH-COMING PRODUCTS

kam

Under Voltage Relay (Single Phase)
Over Voltage Relay (Single Phase)
Under Voltage Relay (Three Phase)
Over Voltage Relay (Three Phase)
Phase Reversal/Phase Loss
Phase unbalance Relay (Three Phase)
Motor Protection Relay Without display (Current Sensing Based Technology)
Motor Protection Relay with Voltage, Amps & Frequency Display (Current Sensing)
Single Phase Ammeter Micro Controller Based Technology with CT Ratio Site Programmable Alarm Annunciate with Data Logging
Automatic Power Factor Correction(6, 8, 12 Stages)



NYLEX GROUP
ESTD 1966

NyLex
Group

Off.: B-804, O2, Minerva Indl. Estate. Mulund (W), Mumbai - 400 080.
INDIA

Ph.No. +91 22 25931622 / 33 / 44. Fax No. +91 22 25931655

Email: nylexgroup@gmail.com / Web: www.nylexgroup.com